

# Bevacizumab gamma for treating wet age-related macular degeneration

Technology appraisal guidance

Published: 4 December 2024

[www.nice.org.uk/guidance/ta1022](https://www.nice.org.uk/guidance/ta1022)

## Your responsibility

The recommendations in this guidance represent the view of NICE, arrived at after careful consideration of the evidence available. When exercising their judgement, health professionals are expected to take this guidance fully into account, alongside the individual needs, preferences and values of their patients. The application of the recommendations in this guidance is at the discretion of health professionals and their individual patients and do not override the responsibility of healthcare professionals to make decisions appropriate to the circumstances of the individual patient, in consultation with the patient and/or their carer or guardian.

All problems (adverse events) related to a medicine or medical device used for treatment or in a procedure should be reported to the Medicines and Healthcare products Regulatory Agency using the [Yellow Card Scheme](#).

Commissioners and/or providers have a responsibility to provide the funding required to enable the guidance to be applied when individual health professionals and their patients wish to use it, in accordance with the NHS Constitution. They should do so in light of their duties to have due regard to the need to eliminate unlawful discrimination, to advance equality of opportunity and to reduce health inequalities.

Commissioners and providers have a responsibility to promote an environmentally sustainable health and care system and should [assess and reduce the environmental impact of implementing NICE recommendations](#) wherever possible.

# Contents

1 Recommendations .....	4
2 Information about bevacizumab gamma.....	6
Marketing authorisation indication .....	6
Dosage in the marketing authorisation .....	6
Price.....	6
3 Implementation.....	7
4 Evaluation committee members and NICE project team.....	8
Evaluation committee members .....	8
Chair .....	8
NICE project team .....	8

# 1 Recommendations

- 1.1 Bevacizumab gamma is recommended as an option for treating wet age-related macular degeneration in adults, only if:
- the eye has a best-corrected visual acuity between 6/12 and 6/96
  - there is no permanent structural damage to the central fovea
  - the lesion size is 12 disc areas or less in greatest linear dimension
  - there are signs of recent disease progression (for example, blood vessel growth as shown by fluorescein angiography, or recent visual acuity changes)
  - the company provides it according to the [commercial arrangement](#).
- 1.2 Use the least expensive option of the available treatments (including bevacizumab gamma, aflibercept, faricimab and ranibizumab). Take account of administration costs, dosages, price per dose and commercial arrangements. If the least expensive option is unsuitable, people with the condition and their healthcare professional should discuss the advantages and disadvantages of other treatments.
- 1.3 Only continue bevacizumab gamma treatment if an adequate response is maintained. Criteria for stopping should include persistent deterioration in visual acuity and anatomical changes in the retina.
- 1.4 These recommendations are not intended to affect treatment with bevacizumab gamma that was started in the NHS before this guidance was published. People having treatment outside these recommendations may continue without change to the funding arrangements in place for them before this guidance was published, until they and their NHS clinician consider it appropriate to stop.

## Why these recommendations were made

NICE already recommends aflibercept, faricimab and ranibizumab as treatment options for wet age-related macular degeneration. Bevacizumab gamma works in a similar way to

these treatments and would be offered to the same population.

Evidence from clinical trials shows that more people having bevacizumab gamma gain at least 15 letters in best-corrected visual acuity than those having ranibizumab. And an indirect comparison of bevacizumab gamma with ranibizumab, aflibercept and faricimab suggests similar clinical effectiveness.

Using [NICE's cost-comparison methods](#), bevacizumab gamma only needs to provide similar or greater health benefits at similar or lower costs to 1 relevant comparator to be recommended as a treatment option. The total cost of bevacizumab gamma is similar to the cost of aflibercept. So bevacizumab gamma is recommended.

For all evidence see the [committee papers](#). For more information on NICE's evaluation of aflibercept, see the committee discussion section in NICE's technology appraisal guidance on [aflibercept for treating wet age-related macular degeneration](#).

## 2 Information about bevacizumab gamma

### Marketing authorisation indication

- 2.1 Bevacizumab gamma (Lytenava, Outlook Therapeutics) is 'indicated in adults for treatment of neovascular (wet) age-related macular degeneration (nAMD)'.

### Dosage in the marketing authorisation

- 2.2 The dosage schedule is available in the [summary of product characteristics for bevacizumab gamma](#).

### Price

- 2.3 The list price of bevacizumab gamma is £470 for 1 vial of 7.5 mg per 0.3 ml solution (excluding VAT; company submission, accessed September 2024).
- 2.4 The company has a commercial arrangement. This makes bevacizumab gamma available to the NHS with a discount. The size of the discount is commercial in confidence. It is the company's responsibility to let relevant NHS organisations know details of the discount.

## 3 Implementation

- 3.1 Section 7 of the National Institute for Health and Care Excellence (Constitution and Functions) and the Health and Social Care Information Centre (Functions) Regulations 2013 requires integrated care boards, NHS England and, with respect to their public health functions, local authorities to comply with the recommendations in this evaluation within 3 months of its date of publication. Because bevacizumab gamma has been recommended through the cost-comparison process, NHS England and integrated care boards have agreed to provide funding to implement this guidance 30 days after publication.
- 3.2 The Welsh ministers have issued directions to the NHS in Wales on implementing NICE technology appraisal guidance. When a NICE technology appraisal guidance recommends the use of a drug or treatment, or other technology, the NHS in Wales must usually provide funding and resources for it within 2 months of the first publication of the final draft guidance.
- 3.3 When NICE recommends a treatment 'as an option', the NHS must make sure it is available within the period set out in the paragraphs above. This means that, if a patient has wet age-related macular degeneration and the healthcare professional responsible for their care thinks that bevacizumab gamma is the right treatment, it should be available for use, in line with NICE's recommendations.

## 4 Evaluation committee members and NICE project team

### Evaluation committee members

This topic was considered by the lead team of the highly specialised technologies evaluation committee, which includes the chair and vice chair.

Committee members are asked to declare any interests in the technology being evaluated. If it is considered there is a conflict of interest, the member is excluded from participating further in that evaluation.

### Chair

**Paul Arundel**

Chair, highly specialised technologies evaluation committee

### NICE project team

Each evaluation is assigned to a team consisting of 1 or more health technology analysts (who act as technical leads for the evaluation), a technical adviser and a project manager.

**Aamer Jawed**

Technical lead

**Eleanor Donegan**

Technical adviser

**Louise Jafferally**

Project manager

**Ross Dent**

Associate director



ISBN: 978-1-4731-6659-2